UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/591,336	08/31/2006	David A. Biro	S9025.0345	9426
63725 7590 10/22/2008 DICKSTEIN SHAPIRO 1177 AVENUE OF THE AMERICAS (6TH AVENUE)			EXAMINER	
			THOMPSON RUMMEL, PONDER N	
NEW YORK, P	NEW YORK, NY 10036-2714		ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			10/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/591,336	BIRO ET AL.				
Office Action Summary	Examiner	Art Unit				
	PONDER N. THOMPSON RUMMEL	1795				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period value - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 6/26/	2008.					
,—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ☐ Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-17 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	- · · · · ·					
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Applicati ity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s)	_					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) 	4) ☐ Interview Summary Paper No(s)/Mail Da 5) ☐ Notice of Informal P	ate				
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 10/591,336 Page 2

Art Unit: 1795

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1 and 3-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ohman et al (US 2003/0180507) in view Lovin (US 5,407,708).

With respect to claims 1 and 3 - 11, Ohman et al discloses a packaging laminate for a packaging carton and process of producing such packaging comprising:

- Applying a printing ink, such as an radiation-curable ink, solvent based ink
 or water based-ink, to the surface of the plastic coating packaging
 laminate (paragraph [0031] and abstract);
- Exposing the ink with UV light (paragraph [0031]);
- Applying a transparent layer of radiation-curable lacquer to the plastic coating (packaging laminate - paragraph [0032]); and
- Curing the radiation-curable lacquer with UV light or electron radiation (paragraphs [0033] and [0034])

Further, the packaging laminate is a plastic laminate comprising an aluminum foil material layer (paragraph [0030]). The packaging carton is filled with contents such as food (paragraph [0036]). However, Ohman fails to specifically disclose

Art Unit: 1795

the separate exposure of the ink prior to being overcoated with a transparent layer.

Page 3

Lovin et al discloses a method of printing of a substrate used in food packaging comprising:

- Applying a coating of radiation-curable ink to a substrate (column 5, lines 64-66) such as a heat shrinkable, flexible webs formed of thermoplastic material; (column 5, lines 54-60)
- Exposing the ink to UV radiation (column 5, line 66);
- Applying a second coating of ink to the substrate (column 6, lines 3-6);
 and
- Exposing or curing the ink using an electron beam radiation (column 6, lines 12-13).

Lovin discloses that the partial curing step prior to applying a second layer of ink helps to prevent pick off and smearing of the ink at the subsequent print stations (column 6, lines 2-5). Further, Lovin also teaches that the use electron beam irradiation upon final curing leads to a final product that can withstand harsh environmental treatment associated with food packaging and also prevent shrinkage of thermoplastic web (column 6, lines 47-55). Therefore, it would have been obvious to one of ordinary skill within the art to apply UV radiation to the ink as disclosed by Lovin prior to applying a protective coating as disclosed by Ohman to prevent smearing of the ink and to lower the amount of photoinitiators that migrate to food in packages (column 5, lines 9-20).

Art Unit: 1795

2. Claims 1, 4, 5, 7, 8, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lovin (US 5,407,708) in view of Edlein et al. (US 6,528,127).

With respect to claims 1, 4, 5, 7, 8, and 11, Lovin et al discloses a method of printing of a substrate used in food packaging comprising:

Page 4

- Applying a coating of radiation-curable ink to a substrate (column 5, lines 64-66) such as a heat shrinkable web;
- Exposing the ink to UV radiation (column 5, line 66);
- Applying a second coating of ink to the substrate (column 6, lines 3-6);
 and
- Exposing or curing the ink using an electron beam radiation (column 6, lines 12-13)

However, Lovin et al fails to disclose the use of an energy-curable coating that is placed over the ink after the first UV irradiation step.

Edlein et al discloses a method of printing a thermoplastic film having a radiation-cured overcoat. The overcoat is applied over the entire printed surface of the film (column 10, lines 45-47). The film acts as an overcoat that provides protection to the printed image during further treatment, processes or uses (column 10, lines 47-49). Further, the film is transparent so that the printed image is visible (column 10, line s 50-510. By applying a coating over the ink, inks are protected through severe handling and processes Additionally, the use of the overcoat prevent the need for the use of expensive and exotic inks as well as the tampering of handling and processing conditions (column 2, lines 32-37).

Art Unit: 1795

Therefore, it would have been obvious to one of ordinary skill win the art at the time of the invention to incorporate the use of an radiation-cured overcoat as disclosed by Edlein et al within the method of Lovin et al. to protect the printed image as well as prevent the use of exotic inks and tampering of handling/processing conditions.

Page 5

- 3. Claims 1, 2, 5, 6, 9, and 11 and are rejected under 35 U.S.C. 103(a) as being unpatentable over Mossbrook et al (US 2005/0019533) in view of Lovin (US 5,407,708). With respect to claims 1,2, 9 and 11-14, Mossbrook discloses a printed thermoplastic film with an overprint varnish as a packing material and production process comprising:
 - Applying a printed image to a film using a radiation curable or solvent based ink (paragraphs [0061] and [0065]);
 - Applying an overprint varnish to cover the printed image of the film (paragraph [0068]);
 - And then curing the overprint varnish with radiation energy such as
 UV light or electron beam radiation (paragraph [0069] and [0088]).

Mossbrook et al also discloses that the printed film for packaging contains a thermoplastic material in which a product such as food may be introduced into the package and sealed (paragraph [0104]). Additionally, the package will contain less than 50 ppb of migratable solvent (paragraphs [0007] and [0008]).

However, Mossbrook fail to disclose the curing of the ink after being applied to the thermoplastic film.

Lovin discloses a method of applying radiation-curable inks to a packaging material wherein the applied ink is exposed to UV radiation after application to a substrate (column 5, lines 65-67). The ink is partially cured with UV light to prevent pick off and smearing of the ink (column 6, lines 2 and 3). Therefore, it would be obvious to one of ordinary skill within the art at the time of the invention to include a curing step with UV light as disclosed by Lovin et al within the production of the packing material disclosed by Mossbrook et al to prevent smearing and pick off of the printed ink applied to the thermoplastic film.

4. Claims 1, 11, 15, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mossbrook et al (US 2005/0019533) in view of Lovin (US 5,407,708) and in further view of Chatterjee et al (US 6,803,112).

Mossbrook et al in view of Lovin discloses a printed thermoplastic film with an overprint varnish as a packing material and production process as applied to claims 1 and 11 above. Mossbrook also discloses a solvent resistance rub test (paragraph [0092]), however, fails to disclose a solvent rub test using methyl ethyl ketone (MEK).

Chatterjee et al discloses a radiation curable aqueous composition for film packaging wherein a solvent rub test is performed. The solvent test is performed on a flat surface using a solvent such as methyl ethyl ketone (MEK) and the

Art Unit: 1795

cured film (column 7, lines 64-67). The cured film surface is rubbed repeatedly with an applicator containing the solvent with a back and forth motion. The film surface is rubbed a certain number of times to measure the resistance of the cured film. The film is considered solvent resistant when rubbed 10 or more times, or more preferably, 20 to 75 times before deterioration of the film is observed (column 8, lines 1-10). Therefore, it would have been obvious to one of ordinary skill within the art at the time of the invention to perform a solvent rub test using MEK as described by Chatterjee et al within the process and on the film of Mossbrook et al to measure the resistance of the film to a solvent.

Page 7

Response to Arguments

5. Applicant's arguments, see Remarks, filed June 26, 2006, with respect to the rejection(s) of claim(s) 1,3, 4, 6, 7, and 9-11 under 35 USC 102 (b) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made over Ohman et al (US 2003/0180507) in view Lovin (US 5,407,708). Ohman discloses the packaging laminate process as claimed by applicant, however, fails to disclose an irradiation step upon application of the radiation-curable ink before applying a transparent layer. Lovin discloses irradiation or partial curing of such inks after being applied to a surface to prevent the inks from smearing and to prevent inks from migrating to packaged goods such as food.

Art Unit: 1795

6. Applicant's arguments filed under 35 USC 103 (a) over Lovin in view of Edlein et al (US 6,528,127) have been fully considered but they are not persuasive. Lovin discloses the uses of a radiation curable ink that has curable functionality. Eldein does teach the use of a transparent, radiation cured overcoat that can be applied to the surface of a thermoplastic film that provides protection to a printed image during further treatments and uses. Thus, the inks are protected through sever handling and process. Therefore, there is motivation to combine the two references to distinctly point out the purpose of a transparent, radiation cured overcoat.

Page 8

7. Applicant's arguments filed under 35 USC 103 (a) over Mossbrook (US 2005/0019533) in view of Lovin have been fully considered but they are not persuasive. Applicant argues that it would not be obvious to subject a solvent base ink as disclosed by Mossbrook into an energy curing system as disclosed by Lovin. However, Mossbrook discloses a method to apply a printed image using a radiation curable **or** solvent base ink and further providing an overprint varnish method radiation. Lovin teaches that when the ink is exposed to radiation prior to providing the overprint varnish, exposure prevents smearing of the ink (column 6, lines 2 and 3). Lovin also teaches that the use electron beam irradiation upon final curing leads to a final product that can withstand harsh environmental treatment associated with food packaging and also prevent shrinkage of thermoplastic web (column 6, lines 47-55). Therefore, it would have been obvious to one of ordinary skill within the art to apply UV radiation to the ink as disclosed by Lovin to prevent shrinkage of the web and to lower the amount of photoinitiators that migrate to food in packages (column 5, lines 9-20). Since one could

Application/Control Number: 10/591,336 Page 9

Art Unit: 1795

use a solvent base ink within the composition, one could further assume that curing of a solvent base ink can take place using UV radiation or EB radiation.

8. With regards to applicant's argument regarding claims 1, 11, 15, 16 and 17 as being rejected under 35 USC 103(a) over Mossbrook in view of Lovin and Chatterjee, the rejection remains for the reasons stated above regarding the rejection over Mossbrook in view of Lovin. Chatterjee dose disclose a rub test using MEK as a solvent to measure the overall resistance of a cured film.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to PONDER N. THOMPSON RUMMEL whose telephone number is (571)272-9816. The examiner can normally be reached on Monday-Friday 7:00 am - 4:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly can be reached on 571-272-1526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/591,336 Page 10

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. N. T./ Examiner, Art Unit 1795

/Cynthia H Kelly/ Supervisory Patent Examiner, Art Unit 1795